



Clearklens Cleansinald VH9

Revision: 2022-12-09

Version: 09.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Clearklens Cleansinald VH9

UFI: 7NJ5-M0MC-J003-XWAH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:	Surface disinfectant. Open plant cleaning chemical. for general surface disinfection For professional and industrial use only.
Uses advised against:	Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_1
AISE_SWED_PW_11_1
AISE_SWED_PW_19_1
AISE_SWED_IS_7_5

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1B (H314)
Acute Tox. 4 (H302)
Eye Dam. 1 (H318)
Aquatic Acute 1 (H400)
Aquatic Chronic 2 (H411)
Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains alkyldimethylbenzylammoniumchloride (Benzalkonium Chloride), N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Laurylamine Dipropylendiamine)

Hazard statements:

H290 - May be corrosive to metals.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl (C12-16) dimethylbenzyl ammonium chloride	270-325-2	68424-85-1	[6]	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410)		10-20
tetrasodium ethylene diamine tetraacetate	200-573-9	64-02-8	01-2119486762-27	Acute Tox. 4 (H302) Acute Tox. 4 (H332) STOT RE 2 (H373) Eye Dam. 1 (H318)		3-10
alkyl alcohol ethoxylate	[4]	68439-46-3	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	219-145-8	2372-82-9	[6]	Acute Tox. 3 (H301) Skin Corr. 1B (H314) STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410)		1-3

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information:

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Do not breathe spray. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100

Comah - Upper Tier requirements (tonnes): 200

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.4
tetrasodium ethylene diamine tetraacetate	-	-	-	25
alkyl alcohol ethoxylate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	0.04

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	5.7
tetrasodium ethylene diamine tetraacetate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	0.91

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.4
tetrasodium ethylene diamine tetraacetate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	0.54

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	3.96
tetrasodium ethylene diamine tetraacetate	3	3	1.5	1.5
alkyl alcohol ethoxylate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	2.35

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl (C12-16) dimethylbenzyl ammonium chloride	-	-	-	1.64
tetrasodium ethylene diamine tetraacetate	1.2	1.2	0.6	-
alkyl alcohol ethoxylate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	0.7

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl (C12-16) dimethylbenzyl ammonium chloride	0.0009	0.00096	-	0.4
tetrasodium ethylene diamine tetraacetate	2.2	0.22	1.2	43
alkyl alcohol ethoxylate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	0.001	0.0001	0.00015	1.33

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alkyl (C12-16) dimethylbenzyl ammonium chloride	12.27	13.09	7	-
tetrasodium ethylene diamine tetraacetate	-	-	0.72	-
alkyl alcohol ethoxylate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	8.5	0.85	45.34	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

Clearklens Cleansinald VH9

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.5

Appropriate engineering controls:

Provide a good standard of general ventilation.

Appropriate organisational controls:

No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Spray application	AISE_SWED_IS_7_5	IS	PROC 7	480	ERC4
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection:

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Pale , Yellow

Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl (C12-16) dimethylbenzyl ammonium chloride	Product decomposes before boiling		

Clearklens Cleansinald VH9

tetrasodium ethylene diamine tetraacetate	No data available	Non-experimental data	
alkyl alcohol ethoxylate	> 232.2	Method not given	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 100 °C

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

closed cup

See substance data

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: >= 11.5 (neat)

Dilution pH: ≈ 10 (0.5 %)

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

ISO 4316

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl (C12-16) dimethylbenzyl ammonium chloride	Soluble	OECD 105 (EU A.6)	10
tetrasodium ethylene diamine tetraacetate	500	Method not given	20
alkyl alcohol ethoxylate	100 Soluble	Method not given	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Soluble		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl (C12-16) dimethylbenzyl ammonium chloride	0.006	OECD 104 (EU A.4)	25
tetrasodium ethylene diamine tetraacetate	0.0000000002	Read across	25
alkyl alcohol ethoxylate	< 10	Method not given	37.8
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available		

Method / remark

Relative density: ≈ 1.05 (20 °C)

Relative vapour density: -.

Particle characteristics: No data available.

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

EC 440/2008 A14

EC 440/2008 A17-A21

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkyl (C12-16) dimethylbenzyl ammonium chloride	LD ₅₀	> 300-2000	Rat	OECD 401 (EU B.1)		3300
tetrasodium ethylene diamine tetraacetate	LD ₅₀	1780	Rat	OECD 401 (EU B.1)		19000
alkyl alcohol ethoxylate	LD ₅₀	1400	Rat	Weight of evidence		16000
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LD ₅₀	261	Rat	Method not given		16000

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				Not established
tetrasodium ethylene diamine tetraacetate	LD ₅₀	> 5000	Rabbit	Method not given		Not established
alkyl alcohol ethoxylate	LD ₅₀	2000 - 5000	Rat	Weight of evidence		Not established
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
tetrasodium ethylene diamine tetraacetate	LC ₅₀	≥ 1-5 (dust)	Rat	OECD 403 (EU B.2)	6
alkyl alcohol ethoxylate		No data available			
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkyl (C12-16) dimethylbenzyl ammonium chloride	Not established	Not established	Not established	Not established
tetrasodium ethylene diamine tetraacetate	Not established	16	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride	Corrosive	Rabbit		
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant		Weight of evidence	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Corrosive	Rabbit	OECD 404 (EU B.4)	4 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride	Severe damage	Rabbit		
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	

alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence OECD 437	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			
alkyl alcohol ethoxylate	No data available			
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol ethoxylate	Not sensitising		Weight of evidence	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			
alkyl alcohol ethoxylate	No data available			
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available		No data available	
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results	OECD 473	No data available	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476	No data available	

Carcinogenicity

Ingredient(s)	Effect
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl (C12-16) dimethylbenzyl ammonium chloride			No data available				
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity
alkyl alcohol ethoxylate	NOAEL		> 250	Rat	Not known		No effects on fertility No developmental toxicity
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine			No data available				No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
tetrasodium ethylene diamine tetraacetate		No data				

Clearklens Cleansinald VH9

		available				
alkyl alcohol ethoxylate	NOAEL	80 - 400		OECD 408 (EU B.26)		
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU B.28)	90	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
alkyl alcohol ethoxylate		No data available				
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl (C12-16) dimethylbenzyl ammonium chloride			No data available					
tetrasodium ethylene diamine tetraacetate			No data available					
alkyl alcohol ethoxylate			No data available					
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
tetrasodium ethylene diamine tetraacetate	No data available
alkyl alcohol ethoxylate	No data available
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Not applicable

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available
tetrasodium ethylene diamine tetraacetate	Respiratory tract
alkyl alcohol ethoxylate	No data available
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Kidneys

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride	LC ₅₀	> 0.1-1	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96
tetrasodium ethylene diamine tetraacetate	LC ₅₀	> 100	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96
alkyl alcohol ethoxylate	LC ₅₀	5 - 7	Fish	92/69/EEC, C1, semi-static	96
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LC ₅₀	0.1	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride	EC ₅₀	> 0.01-0.1	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
tetrasodium ethylene diamine tetraacetate	EC ₅₀	140	<i>Daphnia magna Straus</i>	DIN 38412, Part 11	48
alkyl alcohol ethoxylate	EC ₅₀	5.3	<i>Daphnia</i>	92/69/EEC	48
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	EC ₅₀	0.073	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl (C12-16) dimethylbenzyl ammonium chloride	EC ₅₀	> 0.01-0.1	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	<i>Scenedesmus obliquus</i>	88/302/EEC, Part C, static	72
alkyl alcohol ethoxylate	EC ₅₀	1.4 - 47	Not specified	92/69/EEC	72
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	E _r C ₅₀	0.054	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
tetrasodium ethylene diamine tetraacetate		No data available			
alkyl alcohol ethoxylate		No data available			
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available			
tetrasodium ethylene diamine tetraacetate	EC ₂₀	> 500	Activated sludge	OECD 209	0.5 hour(s)
alkyl alcohol ethoxylate	EC ₅₀	> 140	Bacteria	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	EC ₅₀	18	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	> 25.7	<i>Brachydanio rerio</i>	OECD 210	35 day(s)	
alkyl alcohol ethoxylate	EC ₁₀	8.983	Not specified	Method not	21 day(s)	

				given		
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl (C12-16) dimethylbenzyl ammonium chloride	NOEC	> 0.01-0.1	<i>Daphnia magna</i>	OECD 211	21 day(s)	
tetrasodium ethylene diamine tetraacetate	NOEC	25	<i>Daphnia magna</i>	OECD 211	21 day(s)	
alkyl alcohol ethoxylate	EC ₁₀	2.579	<i>Daphnia sp.</i>	Method not given	21 day(s)	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	NOEC	0.024	<i>Daphnia magna</i>	OECD 211	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl (C12-16) dimethylbenzyl ammonium chloride		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
alkyl alcohol ethoxylate		No data available				
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	LD ₅₀	156	<i>Eisenia fetida</i>	OECD 207	14	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LD ₅₀	> 1000	<i>Eisenia fetida</i>	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	NOEC	1000			28	

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate		No data available			

Biodegradation

Clearklens Cleansinald VH9

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl (C12-16) dimethylbenzyl ammonium chloride	Activated sludge, aerobe	Oxygen depletion	63% in 28 day(s)	OECD 301D	Readily biodegradable
tetrasodium ethylene diamine tetraacetate				Weight of evidence	Not readily biodegradable. Inherently biodegradable.
alkyl alcohol ethoxylate				OECD 301B	Readily biodegradable
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		Oxygen depletion	79 % in 28 day(s)	OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl (C12-16) dimethylbenzyl ammonium chloride	< 3	OECD 107	No bioaccumulation expected	at 20 °C
tetrasodium ethylene diamine tetraacetate	-3.86	Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	3.11 - 4.19	Method not given	High potential for bioaccumulation	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-0.66		No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available				
tetrasodium ethylene diamine tetraacetate	1.8	<i>Lepomis macrochirus</i>	OECD 305	Low potential for bioaccumulation	
alkyl alcohol ethoxylate	< 500		Method not given	High potential for bioaccumulation	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alkyl (C12-16) dimethylbenzyl ammonium chloride	No data available				
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
alkyl alcohol ethoxylate	No data available				Potential for mobility in soil, soluble in water
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

European Waste Catalogue:

Empty packaging

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

16 03 05* - organic wastes containing dangerous substances.

Clearklens Cleansinald VH9

Recommendation:
Suitable cleaning agents:

Dispose of observing national or local regulations.
 Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 3267

14.2 UN proper shipping name:

Corrosive liquid, basic, organic, n.o.s. (alkyl dimethylbenzyl ammonium chloride)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C7

Tunnel restriction code: (E)

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

cationic surfactants	15 - 30 %
EDTA and salts thereof	5 - 15 %
non-ionic surfactants, NTA (nitrilotriacetic acid) and salts thereof	< 5 %
disinfectants	

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS5572

Version: 09.2

Revision: 2022-12-09

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 4, 6, 7, 8, 9, 10, 11, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H301 - Toxic if swallowed.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H332 - Harmful if inhaled.
- H373 - May cause damage to organs through prolonged or repeated exposure.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The International Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet